KANGLI 康丽医疗器械

KANGLI

TIANJIN KANGLI MEDICAL APPLIANCE CO. LTD

康丽医疗器械



KANGLI

康丽医疗器械

OUR BUSINESS
企业介绍

About Kangli Medical
关于康丽医疗

天津康丽医疗器械有限公司是一家杰出的医疗器械制造商，成立于 1998 年，该工厂位于天津市中心，占地 20000 平方米，为最先进的生产设备和强大的技术劳动力提供了充足的空间，这是我们制造实力的支柱。

我们在天津的战略位置提供了无与伦比的物流优势，确保我们产品能够高效、及时地分销给本地市场和国际舞台上的客户。这一战略定位加上我们对卓越的承诺，使我们能够在医疗设备行业建立可靠性和质量的声誉。

在我们的工厂，我们为我们坚定不移地致力于创新和质量而感到自豪。我们先进的生产设备由一支技术娴熟的专业人员团队操作，经过精心维护，以确保我们生产的每一件产品都符合最高的性能和安全标准。



Tianjin Kangli Medical Appliance Co. Ltd, a distinguished manufacturer of m edical equipment, was founded in 1998. Theexpansive facility, situated in the heart of Tianjin, spans an impressive 20,000 square meters, providing ample space fors tate-of-the-art production equipment and a robust technical workforce that is the backbone of our manufacturing prowess

Our strategic location in Tianjin offers unparalleled logistical advantages, ensu ring that our products are eficiently and promptlydistributed to clients both within ou r local market and across the international stage. This strategic positioning, coupled with ourcommitment to excellence, has enabled us to establish a reputation for relia bility and quality in the medical equipment industry.

At our factory, we take pride in our unwavering dedication to innovation and qua lity. Our advanced production equipmentoperated by a team of highly skiled profess ionals, is meticulously maintained to ensure that every product we produce meets th ehighest standards of performance and safety.

生产经营
production and operation
27年

工厂面积
Factory area
23000m²

主营项目
Project
200类

我们的5大优势
Our 5 major advantages


customize
按需定制


Cross-border supply
跨境供应


Strict quality control
严格品控



Complete qualifications
资质齐全


Diverse product categories
品类多样

QUALIFICATION CERTIFICATE

企业资质



copy

Registration No.: 00924E10223R4S

CHINA GREAT WALL (TIANJIN)
QUALITY ASSURANCE CENTRE CO., LTD.
ENVIRONMENT MANAGEMENT
SYSTEM CERTIFICATION

We hereby certify that
Tianjin Kangli Medical Instruments CO. Ltd
(Unified social credit code: 91120222103927765D)
Registered address is located at: **Fuyuan Economic&Technological Development Zone Meichang Town, Wuqing District, Tianjin, China.**
Its environment management system meets the requirements of the
GB/T24001-2016/ISO14001:2015 Standard.
The environment management system applies in the following areas:
2 type 6852 Hospital nursing equipments and appliance (KLD type electric bed)'s production, 1 type medical instruments (medical cabinet, Medical clinic bed, shaking bed, anesthesia table, plain medicative cart, portable obstetric table, orthopedics bed, medical stretcher, manual wheelchair)'s production.
Date of Issuance: **Mar. 6th, 2024** Date of Expiry: **Mar. 5th, 2027**

General Manager

IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C009-M

The certificate information (including certificate validity, supervision and maintenance of registration qualification and other information) can be scanned by the QR code of the certificate, and the website of the center can be used to check the information of the certificate (www.isocgw.net), and the official website of CNCA (www.cnca.gov.cn) Query on.
CGW Add:No. 4,Jinlong apartment,Water North road,Nankai District,Tianjin; Postal code:300074;
The web of centre:www.isocgw.net



copy

Registration No.: Y25CC004

CHINA GREAT WALL (TIANJIN)
QUALITY ASSURANCE CENTRE CO., LTD.
MEDICAL DEVICES QUALITY MANAGEMENT
SYSTEM CERTIFICATE

We hereby certify that
Tianjin Kangli Medical Instruments CO. Ltd
(Unified social credit code:91120222103927765D)
Registered address is located at: **No. 5, Sheng yuan Road, Fu yuan Economic Zone, Mei Chang Town, Wu Qing District, Tianjin.**
Its Medical devices Quality Management System meets the requirements of the
GB/T42061-2022/ISO13485:2016 Standard.
The Medical devices Quality Management System applies in the following areas:
The production and service of electric bed, hand-crank bed, flat bed, ordinary delivery bed, patient trolley, medical car, medical cabinet, medical diagnosis and treatment bed, orthopedic traction bed. Sales and service of manual wheelchairs.
Date of Issuance: **Apr. 15th, 2025** Date of Expiry: **Apr. 14th, 2028**

General Manager

The certificate information (including certificate validity, supervision and maintenance of registration qualification and other information) can be scanned by the QR code of the certificate, and the website of the center can be used to check the information of the certificate (www.isocgw.net), and the official website of CNCA (www.cnca.gov.cn) Query on.
CGW Add:No. 4,Jinlong apartment,Water North road,Nankai District,Tianjin; Postal code:300074;
The web of centre:www.isocgw.net



copy

Registration No.: 00925Q10537R0S

CHINA GREAT WALL (TIANJIN)
QUALITY ASSURANCE CENTRE CO., LTD.
QUALITY MANAGEMENT SYSTEM CERTIFICATE

We hereby certify that
Tianjin Kangli Medical Instruments CO. Ltd
(Unified social credit code:91120222103927765D)
Registered address is located at: **No. 5, Sheng yuan Road, Fu yuan Economic Zone, Mei Chang Town, Wu Qing District, Tianjin.**
Its quality management system meets the requirements of the
GB/T19001-2016/ISO9001:2015 Standard.
The quality management system applies in the following areas:
The production and service of electric bed, hand-crank bed, flat bed, ordinary delivery bed, patient trolley, medical car, medical cabinet, medical diagnosis and treatment bed, orthopedic traction bed. Sales and service of manual wheelchairs.
Date of Issuance: **Apr. 15th, 2025** Date of Expiry: **Apr. 14th, 2028**

General Manager

IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C009-M

The certificate information (including certificate validity, supervision and maintenance of registration qualification and other information) can be scanned by the QR code of the certificate, and the website of the center can be used to check the information of the certificate (www.isocgw.net), and the official website of CNCA (www.cnca.gov.cn) Query on.
CGW Add:No. 4,Jinlong apartment,Water North road,Nankai District,Tianjin; Postal code:300074;
The web of centre:www.isocgw.net





copy

Registration No.: 00924S10199R2S

CHINA GREAT WALL (TIANJIN)
QUALITY ASSURANCE CENTRE CO., LTD.
OCCUPATIONAL HEALTH AND SAFETY
MANAGEMENT SYSTEM CERTIFICATE

We hereby certify that
Tianjin Kangli Medical Instruments CO. Ltd
(Unified social credit code: 91120222103927765D)
Registered address is located at: **Fuyuan Economic&Technological Development Zone Meichang Town, Wuqing District, Tianjin, China.**
Its occupational health and safety management system meets the requirements of the
GB/T45001-2020/ISO 45001:2018 Standard.
The occupational health and safety management system applies in the following areas:
2 type 6852 Hospital nursing equipments and appliance (KLD type electric bed)'s production, 1 type medical instruments (medical cabinet, Medical clinic bed, shaking bed, anesthesia table, plain medicative cart, portable obstetric table, orthopedics bed, medical stretcher, manual wheelchair)'s production.
Date of Issuance: **Mar. 6th, 2024** Date of Expiry: **Mar. 5th, 2027**

General Manager

IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C009-M

The certificate information (including certificate validity, supervision and maintenance of registration qualification and other information) can be scanned by the QR code of the certificate, and the website of the center can be used to check the information of the certificate (www.isocgw.net), and the official website of CNCA (www.cnca.gov.cn) Query on.
CGW Add:No. 4,Jinlong apartment,Water North road,Nankai District,Tianjin; Postal code:300074;
The web of centre:www.isocgw.net



CE DECLARATION OF CONFORMITY
ACCORDING TO (EU) 2017/745 MEDICAL DEVICE REGULATION

EU Representative
SUNGO Europe B.V.
Fascinatio Boulevard 522, Unit 1.7,
2909VA Capelle aan den IJssel, The Netherlands
SRN: NL-AR-000000247

Manufacturer
Name:TIANJIN KANGLI MEDICAL APPLIANCE CO.,LTD
Address: NO.5, SHENGYUAN ROAD,FUYUAN ECONOMIC REGION,MEICHANG TOWN, WUQING DISTRICT,TIANJIN CHINA
SRN:

Conformity Assessment
Conformity Assessment Procedure
Annex II+III of Regulation (EU) 2017/745

Product Information
Name: MANUAL WHEELCHAIR
Model: F-W01 F-W02 F-W03 F-W04 F-W05 F-W06 F-W07 F-W08 F-W09 F-W10 F-W11 F-W12 F-W13 F-W14 F-W15 F-W16 F-W17 F-W18 F-W19 F-W20 F-W21 F-W22 F-W23 F-W924 F-W25 F-W26 F-W27
GMDN: 37587
EMDN: W10103
Basic UDI-DI: /
Classification: Class I, according to Rule 1, Annex VIII, Regulation (EU) 2017/745

Declaration
We herewith declare that the above-mentioned products meet the requirements of Medical Device Regulation (EU) 2017/745 and the applicable standards above.

Applicable Standards
EN ISO 14971: 2019
EN ISO 15223-1: 2021
EN ISO 20417: 2021
EN ISO 10993-1: 2020
EN ISO 10993-5: 2009
EN ISO 10993-10: 2013
EN 12183:2014
ISO 13485:2016

Remark
The declaration of conformity is valid in connection with the release technical document CE/MDR-Y122103-04
All the supporting documentation is retained at the premises of the manufacturer.
The Declaration of Conformity is exclusively under the sole responsibility of the manufacturer.

Signature: Date:18th April,2023
Position: GM Place: Tianjin/China



CE DECLARATION OF CONFORMITY
ACCORDING TO (EU) 2017/745 MEDICAL DEVICE REGULATION

EU Representative
SUNGO Europe B.V.
Fascinatio Boulevard 522, Unit 1.7,
2909VA Capelle aan den IJssel, The Netherlands
SRN: NL-AR-000000247

Manufacturer
Name: TIANJIN KANGLI MEDICAL APPLIANCE CO.,LTD
Address: NO.5, SHENGYUAN ROAD,FUYUAN ECONOMIC REGION,MEICHANG TOWN, WUQING DISTRICT,TIANJIN CHINA
SRN:

Conformity Assessment
Conformity Assessment Procedure
Annex II+III of Regulation (EU) 2017/745

Product Information
Name: MANUAL HOSPITAL BED
Model: A-17 A-18 A-19 A-20 A-21 A-22 A-23 A-24 A-25 A-26 A-27 A-28 A-29 A-30 A-31 A-32 A-33 A-34 A-35 A-36 A-37 A-38 A-39 A-40 A-41 A-42 A-43 A-44 A-45 A-46 A-47 A-48 A-49 A-50 A-51 A-52 A-53 A-54 A-55 A-56 A-57 A-58 A-59 A-60 A-61 A-62 A-63 A-64 A-65 A-66 A-67 A-68 A-69
EMDN: V08002
GMDN: 34673
Basic UDI-DI: /
Classification: Class I, According to Rule 1, Annex VIII, Regulation (EU) 2017/745

Declaration
We herewith declare that the above-mentioned products meet the requirements of Medical Device Regulation (EU) 2017/745 and the applicable standards above.

Applicable Standards
EN ISO 14971: 2019
EN ISO 15223-1: 2021
EN ISO 20417: 2021
EN ISO 10993-1: 2020
EN ISO 10993-5: 2009
EN ISO 10993-10: 2013

Remark
The declaration of conformity is valid in connection with the release technical document CE/MDR-U080602-02.
All the supporting documentation is retained at the premises of the manufacturer.
The Declaration of Conformity is exclusively under the sole responsibility of the manufacturer.

Signature: Date:18th April,2023
Position: GM Place: Tianjin/China



CE DECLARATION OF CONFORMITY
ACCORDING TO (EU) 2017/745 MEDICAL DEVICE REGULATION

EU Representative
SUNGO Europe B.V.
Fascinatio Boulevard 522, Unit 1.7,
2909VA Capelle aan den IJssel, The Netherlands
SRN: NL-AR-000000247

Manufacturer
Name: TIANJIN KANGLI MEDICAL APPLIANCE CO.,LTD
Address: NO.5, SHENGYUAN ROAD,FUYUAN ECONOMIC REGION,MEICHANG TOWN, WUQING DISTRICT,TIANJIN CHINA
SRN:

Conformity Assessment
Conformity Assessment Procedure
Annex II+III of Regulation (EU) 2017/745

Product Information
Name: MEDICAL TROLLEY
Model: B-1 B-2 B-3 B-4 B-5 B-6 B-7 B-8 B-9 B-10 B-11 B-22 B-23 B-24 B-25 B-26 B-27 B-28 B-29 B-30 B-31 B-32 B-33 B-34 B-35 B-36 B-37 B-38 B-39 B-40 B-41 B-42 B-43 B-44 B-45 B-46 B-47 B-48 B-49 B-50 B-51 B-52 B-53 B-54 B-55 B-56 B-57 B-58 B-59 B-60 B-61 B-62 B-63 B-64 B-65 B-66 B-67 B-68 B-69 B-70 B-71 B-72 B-73 B-74 B-75 B-76 B-77 B-78 B-79 B-80 B-81 B-82 B-83 B-84 B-85 B-86 B-87 B-88 B-89 B-90 B-91 B-92 B-93 B-94 B-95 B-96 B-97 B-98 B-99 B-100 B-101 B- 102 B-103 B-104 B-105 B-106 B-107 B-108 B-109 B-110 B-111 B-112 B-113 B-114 B-115 B-116 B-117 B-118 B-119 B-120 B-121
EMDN: V0909
Basic UDI-DI: /
Classification: Class I, according to Rule 1, Annex VIII, Regulation (EU) 2017/745

Declaration

Applicable Standards
EN ISO 14971: 2019
EN ISO 15223-1: 2021
EN ISO 20417: 2021
EN ISO 10993-1: 2020
EN ISO 10993-5: 2009
EN ISO 10993-10: 2013



CE DECLARATION OF CONFORMITY
ACCORDING TO (EU) 2017/745 MEDICAL DEVICE REGULATION

EU Representative
SUNGO Europe B.V.
Fascinatio Boulevard 522, Unit 1.7,
2909VA Capelle aan den IJssel, The Netherlands
SRN: NL-AR-000000247

Manufacturer
Name: Tianjin Kangli Medical Appliance Co.,Ltd
Address: No.5, Shengyuan Road, Fuyuan Economic Region, Meichang Town, Wuqing District, Tianjin China
SRN:

Conformity Assessment
Conformity Assessment Procedure
Annex II+III of Regulation (EU) 2017/745

Product Information
Name: Electric Hospital Bed
Model: V-01 V-02 V-03 V-04 V-05 V-06 V-07 V-08 V-09 A-1 A-2 A-3 A-4 A-5 A-6 A-7 A-8 A-9 A-10 A-11 A-12 A-13 A-14 A-15 A-16
EMDN: V080901
GMDN: 34870
Basic UDI-DI: /
Classification: Class I, According to Rule 13, Annex VIII, Regulation (EU) 2017/745

Declaration
We herewith declare that the above-mentioned products meet the requirements of Medical Device Regulation (EU) 2017/745 and the applicable standards above.

Applicable Standards
EN ISO 14971: 2019
EN ISO 15223-1: 2021
EN ISO 20417: 2021
EN ISO 10993-1: 2020
EN ISO 10993-5: 2009
EN ISO 10993-10: 2013
EN 60601-2-52:2010/A1:2015
EN 60601-1:2006/ A2:2020
EN 60601-1-2:2015/A1:2020

Remark
The declaration of conformity is valid in connection with the release technical document CE/MDR-V080901-01
All the supporting documentation is retained at the premises of the manufacturer.
The Declaration of Conformity is exclusively under the sole responsibility of the manufacturer.

Signature: Date:18th April,2023
Position: GM Place: Tianjin/China

27+年专业医疗器械制造

Over 27 years of professional medical device manufacturing



CONTENTS

目录

01 企业篇 Enterprise Chapter

P01 公司简介 Company Profile

P02 公司资质 Company Qualifications

P03 产品目录 Product Catalog

02 轮椅系列 Wheelchair Series

P04 铝合金轮椅系列 Aluminium wheelchair

P06 钢制轮椅系列 Steel wheelchair

P10 铝合金低靠背轮椅系列 Aluminum Low Back Wheelchair Series

P12 钢制轮椅系列 Steel wheelchair

P16 电动轮椅 Electric wheelchair

03 医疗辅具系列 Medical Aids Series

P20 助行器/坐便椅/拐杖 Walkers / Commode Chairs / Canes



铝合金全躺轮椅 SYIV100-KL-LG-1

型号：F-W01

技术参数
- 轮椅尺寸 ： 111*66*125cm
- 坐宽46cm，坐高53cm，坐深42cm
- 扶手到坐垫高28cm， 折叠后宽度28cm

基础配置
- 产品特点:带护理手刹，头靠和腿部可拆卸，加高靠背，自行调节靠背角度，带手扶圈，带座便器
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:PVC扶手垫，塑料护板
- 座垫:双层牛津布和高密度海绵，可拆洗
- 脚踏板:塑料踏板，高度可调，可拆卸
- 前轮为8寸PVC实心轮，后轮为24寸充气轮，铝合金车圈

Aluminum Wheelchair SYIV100-KL-LG-1

MODEL: F-W01

- Product features: Equipped with a nursing handbrake,
- detachable detachable headrest and legrests;
- raised backrest, adjustable backrestangle, hand support ring, and toilet seat
- Frame: Aluminum, foldable
- Frame color :Oxidation
- Armrest:PVC armrest
- Cushion: Double-layer Oxford cloth and high-density sponge,removable and washable
- Foot pedal: Plastic pedals, adjustable height, detachable

铝合金半躺轮椅 SYIV100-KL-LG-2

型号：F-W02

技术参数
- 轮椅尺寸 ： 109*65*115cm
- 坐宽40cm，坐高49cm，坐深43cm，靠背高69cm，折叠后宽度25cm
- 产品特点:带护理刹车，带扶手圈，带座便器，机械调节靠背，腿部垫可拆卸
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:皮革软扶手
- 座垫:加厚牛津布
- 脚踏板:塑料踏板，高低可调节，可拆卸

Aluminum Wheelchair SYIV100-KL-LG-2

MODEL: F-W02

- Product features: Equipped with nursing brakes, armrests,toilet seat, mechanical adjustable backrest,and detachable leg pads
- Frame: Aluminum alloy, foldable
- Frame color :Oxidation
- Armrest: Leather soft armrest
- Cushion: thickened oxford fabric
- Foot pedal: Plastic pedal, adjustable height, detachable





铝合金全躺轮椅 SYIV100-KL-LG-3

型号：F-W03

技术参数

- 轮椅尺寸 ： 103*67*115cm
- 坐宽40cm，坐深43cm，靠背高66cm 折叠后宽度27cm
- 产品特点:带护理刹车，带扶手圈，带座便器，机械调节靠背，腿部垫可拆卸
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:塑料扶手
- 座垫:加厚牛津布
- 脚踏板:塑料踏板，高低可调节，可拆卸

Aluminum Wheelchair SYIV100-KL-LG-3

MODEL: F-W03

- Product features: Equipped with nursing handbrake, raised backrest, hydraulic adjustable backrest,toilet seat, and hand support ring
- Frame: Aluminum alloy, foldable
- Frame color : Oxidation
- Armrest: Plastic armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Plastic pedals, adjustable height





铝合金全躺轮椅 SYIV100-KL-LG-4

型号：F-W04

技术参数

- 轮椅尺寸 ： 111*74*114cm
- 坐宽53cm，坐深43cm，折叠后宽度27cm
- 产品特点:带护理刹车，扶手可掀，带扶手圈，带座便器，踏板可拆卸，加宽，加大
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:塑料扶手
- 座垫:加厚牛津布
- 脚踏板:塑料踏板，高低可调节，可拆卸

Aluminum Wheelchair SYIV100-KL-LG-4

MODEL: F-W04

- Product features: Equipped with nursing handbrake, raised backrest, toilet seat, widened and enlarged
- Frame: Aluminum alloy, foldable
- Frame color : Oxidation
- Armrest: Plastic armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Plastic pedals, adjustable height





铝合金软座全躺 SYIV100-KL-LG-5

型号：F-W05

技术参数

- 轮椅尺寸 ： 120*67*122cm

v坐宽46cm，坐高51cm，坐深42cm，加高靠背高度35cm折叠后宽度28cm

基础配置

- 产品特点:带护理手刹，头靠和腿部可拆卸，加高靠背，自行调节靠背角度，带手扶圈
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:优质皮革内嵌海绵手垫。
- 座垫:优质网布双座垫，可拆洗
- 脚踏板:塑料踏板，高度可调，可拆卸
- 前轮 ： 8寸实心前轮
- 后轮 ： 24 寸实心外胎

Aluminum Wheelchair SYIV100-KL-LG-5

MODEL: F-W05

- Product features: Equipped with a nursing handbrake,detachable legs ,raised backrest, adjustable backrestangle, hand support ring
- Frame: Aluminum, foldable
- Frame color :Oxidation
- Armrest:Leather soft armrest
- Cushion: Double layer honeycomb mesh fabric,removable and washable
- Foot pedal: Plastic pedals, adjustable height, detachable
- wheels: 8-inch solid front wheels，24-inch solid tires Rear





铝合金高靠背软座半躺 SYIV100-KL-LG-6

型号：F-W06

技术参数

- 轮椅尺寸 ： 118*69*120cm
- 折叠宽度：28cm，靠背高:48cm 座位深度 45cm，
- 坐宽: 46cm

基础配置

- 产品特点:带护理手刹，腿部可拆卸，加高靠背，自行调节靠背角度，带手扶圈
- 车架:铝合金，可折叠
- 车架颜色:氧化
- 扶手:优质皮革内嵌海绵手垫。
- 座垫:优质网布双座垫，可拆洗
- 脚踏板:塑料踏板，高度可调，可拆卸
- 前轮 ： 8寸实心前轮
- 后轮 ： 24 寸聚氨酯实心外胎

Aluminum Wheelchair SYIV100-KL-LG-6

MODEL: F-W06

- Product features: Equipped with a nursing handbrake,detachable legs, ,raised backrest, adjustable backrestangle, hand support ring
- Frame: Aluminum, foldable
- Frame color :Oxidation
- Armrest:Leather soft armrest
- Cushion: Double layer honeycomb mesh fabric,removable and washable
- Foot pedal: Plastic pedals, adjustable height, detachable
- wheels: 8-inch solid front wheels，24-inch solid tires Rear





电镀高靠背坐便全躺 SYIV100-KL-DG-1

型号：F-W07

技术参数

・轮椅尺寸 ： 111*66*125cm
・座宽：46cm座高:53cm 座深:52cm 靠背高:43cm

基础配置

・产品特点：带护理手刹，腿部可拆卸，扶手可拆卸，加高靠背，自行调节靠背角度，带手扶圈，带座便器
・车架：碳钢，可折叠
・车架颜色：电镀
・扶手：PVC扶手,金属护板
・座垫：加厚牛津布和高密度海绵，可拆洗
・脚踏板：塑料踏板，高度可调，可拆卸
・前轮 ： 8寸实心前轮
・后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-DG-1

MODEL: F-W07

Standard Configuration

・Product features: Equipped with a nursing handbrake,detachable legs, detachable armrests,raised backrest, adjustable backrestangle, hand support ring, and toilet seat
・Frame: Carbon steel, foldable
・Frame color: Electroplating
・Armrest: PVC armrest
・Cushion: Thickened Oxford Cloth and High-Density Sponge,removable and washable
・Foot pedal: Plastic pedals, adjustable height, detachable
・wheels: 8-inch solid front wheels，24-inch solid tires Rear

电镀高靠背座便半躺 SYIV100-KL-DG-2

型号：F-W08

技术参数

・轮椅尺寸 ： 117*67*135cm
・折叠宽度：26cm，靠背高：40cm ，座位深度：42cm
・座位宽度：46cm，座位离地面高度：50cm；

基础配置

・产品特点:带护理手刹，加高靠背，带座便器，带手扶圈，收纳省空间
・车架:碳钢，可折叠
・车架颜色:电镀
・扶手:皮革扶手
・座垫:加厚牛津布，可拆洗
・脚踏板:塑料踏板，高度可调
・8寸PVC前轮，24寸实心外胎

Steel Wheelchair SYIV100-KL-DG-2

MODEL: F-W08

・Product features: Equipped with a nursing handbrake, raisedbackrest, toilet seat, and armrest, saving storage space
・Frame: Carbon steel, foldable
・Frame color : electroplating
・Armrest: High-Quality Leather Armrests
・Cushion: Thickened oxford fabric
・Foot pedal: Plastic pedals, adjustable height
・Front wheels: 8-inch PVC small wheels
・Rear wheels: 24-inch solid tires Rear







电镀高靠背双翻全躺 SYIV100-KL-DG-3

型号：F-W09

技术参数
・轮椅尺寸 ： 102*67*114cm
・坐宽40cm，坐垫高50cm，坐深43cm，扶手到坐垫高28cm， 折叠后宽度28cm

基础配置
・产品特点:带护理手刹，腿部可拆卸，扶手可拆卸，加高靠背，自行调节靠背角度，带手扶圈，带座便器
・车架:碳钢，可折叠
・车架颜色:电镀
・扶手:皮革软扶手
・座垫:双层蜂网布，可拆洗
・脚踏板:塑料踏板，高度可调，可拆卸
・前轮 ： 7寸实心前轮 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-DG-3

MODEL: F-W09

・Product features: Equipped with a nursing handbrake,detachable legs, detachable armrests, raised backrest, adjustable backrestangle, hand support ring, and toilet seat
・Frame: Carbon steel, foldable
・Frame color :Electroplating
・Armrest: Leather soft armrest
・Cushion: Double layer honeycomb mesh fabric,removable and washable
・Foot pedal: Plastic pedals, adjustable height, detachable
・wheels: 7-inch solid front wheels，24-inch solid tires Rear





电镀高靠背全躺 SYIV100-KL-DG-5

型号：F-W11

技术参数
・轮椅尺寸 ： 117*67*135cm
・折叠宽度： 26cm，靠背高:40cm 座位深度 42cm，
・座位宽度 46cm，座位离地面高度 50cm；

基础配置
・产品特点:带护理手刹，加高靠背，带座便器，带手扶圈，收纳省空间
・车架:碳钢，可折叠
・车架颜色:电镀
・扶手:皮革扶手
・座垫:加厚牛津布，可拆洗
・脚踏板:塑料踏板，高度可调
・8寸PVC前轮，24寸塑料一体后轮

Steel Wheelchair SYIV100-KL-DG-5

MODEL: F-W11

・Product features: Equipped with a nursing handbrake, raisedbackrest, toilet seat, and armrest, saving storage space
・Frame: Carbon steel, foldable
・Frame color : electroplating
・Armrest: High-Quality Leather Armrests
・Cushion: Thickened oxford fabric
・Foot pedal: Plastic pedals, adjustable height
・Front wheels: 8-inch PVC small wheels
・Rear wheels: 24-inch plastic one-piece wheels





电镀高靠背全躺 SYIV100-KL-DG-4

型号：F-W10

技术参数
・轮椅尺寸 ： 102*68*117cm
・坐宽40cm，坐垫高50cm，坐深43cm，
・扶手到坐垫高28cm， 折叠后宽度29cm

基础配置
・产品特点:带护理手刹，腿部可拆卸，加高靠背，自行调节靠背角度，带手扶圈，带座便器
・车架:碳钢，可折叠
・车架颜色:电镀
・扶手:皮革软扶手
・座垫:双层蜂网布，可拆洗
・脚踏板:塑料踏板，高度可调，可拆卸
・前轮 ： 7寸实心前轮 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-DG-4

MODEL: F-W10

・Product features: Equipped with a nursing handbrake,detachable legs,raised backrest, adjustable backrestangle, hand support ring, and toilet seat
・Frame: Carbon steel, foldable
・Frame color :Electroplating
・Armrest: Leather soft armrest
・Cushion: Double layer honeycomb mesh fabric,removable and washable
・Foot pedal: Plastic pedals, adjustable height, detachable
・wheels: 7-inch solid front wheels，24-inch solid tires Rear





电镀高靠背软座半躺 SYIV100-KL-DG-6

型号：F-W12

技术参数
轮椅尺寸 ： 118*69*120cm
折叠宽度： 28cm，靠背高:48cm 座位深度 45cm，
座位宽度 46cm

基础配置
产品特点:带护理手刹，加高靠背，带座便器，带手扶圈，收纳省空间
车架:碳钢，可折叠
车架颜色:电镀
扶手:塑料扶手
座垫:网布和皮革双座垫，可拆洗
脚踏板:塑料踏板，高度可调
7寸实心前轮，24寸实心胎后轮

Steel Wheelchair SYIV100-KL-DG-6

MODEL: F-W12

・Product features: Equipped with a nursing handbrake,raised backrest, hand support ring, and toilet seat
・Frame: Carbon steel, foldable
・Frame color : electroplating
・Armrest: ABS armrest
・Cushion:Mesh and leather two-seater seat covers
・Foot pedal: PP pedals, adjustable height
・wheels: 7-inch solid front wheels. 24-inch solid tires Rear



钢制全躺轮椅 SYIV100-KL-TG-1

型号：F-W13

技术参数

- 轮椅尺寸 ： 112*68*125cm
- 坐宽46cm，坐高50cm，坐深42cm
- 扶手到坐垫高20cm

基础配置

- 产品特点:带护理手刹，加高靠背，带手扶圈，带座便器
- 车 架:碳钢，可折叠
- 车架颜色:银色
- 扶手:优质ABS 扶手
- 座垫:加厚牛津布，可拆洗
- 脚踏板:金属踏板，高度可调
- 前轮 ： 7寸实心前轮
- 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-TG-1

MODEL: F-W13

- Product features: Equipped with a nursing handbrake,raised backrest, hand support ring, and toilet seat
- Frame: Carbon steel, foldable
- Frame color : Silvery
- Armrest: High quality ABS armrest
- Cushion:Thickened oxford fabric
- Foot pedal: Metal pedals, adjustable height
- Wheels: 7-inch solid front wheels. 24-inch solid tires Rear

喷涂高靠背半躺 SYIV100-KL-TG-2

型号：F-W14

技术参数

- 轮椅尺寸 ： 110*67*122cm
- 坐宽46cm，坐垫高50cm，坐深42cm，
- 扶手到坐垫高20cm

基础配置

- 产品特点:带护理手刹，加高靠背，带手扶圈，带座便器
- 车 架:碳钢，可折叠
- 车架颜色:银色
- 扶手:优质皮革和高密度海绵
- 座垫:加厚牛津布，可拆洗
- 脚踏板:金属踏板，高度可调
- 前轮 ： 7寸实心前轮：后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-TG-2

MODEL: F-W14

- Product features: Equipped with a nursing handbrake,raised backrest, hand support ring, and toilet seat
- Frame: Carbon steel, foldable
- Frame color : Silvery
- Armrest: Leather and sponge
- Cushion:Thickened oxford fabric
- Foot pedal: Metal pedals, adjustable height
- wheels: 7-inch solid front wheels. 24-inch solid tires Rear





喷涂高靠背全躺 SYIV100-KL-TG-3

型号：F-W15

技术参数
- 轮椅尺寸 ： 110*68*116cm
- 折叠宽度：26cm， 座位深度 43cm，座位宽度 40cm
- 座位离地面高度 50cm；

基础配置
- 产品特点:带护理手刹，加高靠背，带座便器，带手扶圈，收纳省空间
- 车架:碳钢，可折叠
- 车架颜色:黑色
- 扶手:塑料扶手
- 座垫:双层蜂网布，可拆洗
- 脚踏板:塑料踏板，高度可调
- 7寸PVC前轮，24寸塑料一体后轮

Steel Wheelchair SYIV100-KL-TG-3

MODEL: F-W15

- Product features: Equipped with a nursing handbrake, raisedbackrest, toilet seat, and armrest, saving storage space
- Frame: Carbon steel, foldable
- Frame color : black
- Armrest: plastic armrest
- Cushion: Double layer honeycomb mesh fabric,
- removable and washable
- Foot pedal: Plastic pedals, adjustable height
- Front wheels: 7-inch PVC small wheels
- Rear wheels: 24-inch plastic one-piece wheels





喷涂高靠背半躺 SYIV100-KL-TG-4

型号：F-W16

技术参数
- 轮椅尺寸 ： 102*67*114cm
- 折叠宽度：28cm， 座位深度 43cm，座位宽度 40cm
- 座位离地面高度 54cm；

基础配置
- 产品特点:带护理手刹，加高靠背，带座便器，带手扶圈，收纳省空间
- 车架:碳钢，可折叠
- 车架颜色:黑色
- 扶手:塑料扶手
- 座垫:加厚牛津布
- 脚踏板:塑料踏板，高度可调
- 7寸PVC前轮，24寸塑料一体后轮

Steel Wheelchair SYIV100-KL-TG-4

MODEL: F-W16

- Product features: Equipped with a nursing handbrake, raised backrest, toilet seat, armrest ring, detachable armrest, and space saving storage
- Frame: Carbon steel, foldable
- Frame color : Black
- Armrest: Plastic armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Plastic pedals, adjustable height
- Front wheels: 7-inch PVC wheels
- Rear wheels: 24-inch plastic one-piece wheels





喷涂高靠背软座全躺 SYIV100-KL-TG-5

型号：F-W17

技术参数
- 轮椅尺寸 ： 120*67*122cm
- 折叠宽度：27cm， 座位深度 43cm，座位宽度 40cm
- 座位离地面高度 51cm；

基础配置
- 产品特点:带护理手刹，液压调节靠背高度，加高靠背，带手扶圈，带座便器
- 车架:碳钢，可折叠
- 车架颜色:银色
- 扶手:塑料扶手
- 座垫:双层加厚蜂网布，可拆洗
- 脚踏板:塑料踏板，高度可调
- 7寸PVC前轮，24寸塑料一体后轮

Steel Wheelchair SYIV100-KL-TG-5

MODEL: F-W17

- Product features: Equipped with a nursing handbrake,hydraulic adjustable backrest height, raised backrest, hand support ring, and toilet seat
- Frame: Carbon steel, foldable
- Frame color : Silvery
- Armrest: Plastic armrest
- Cushion: Double layered thickened honeycomb meshfabric, removable and washable
- Foot pedal: Plastic pedals, adjustable height
- Front wheels: 7-inch PVC small wheels
- Rear wheels: 24-inch plastic one-piece wheels





喷涂高靠背软座半躺 SYIV100-KL-TG-6

型号：F-W18

技术参数
- 轮椅尺寸 ： 120*67*122cm
- 折叠宽度：28cm， 座位深度 42cm，座位宽度 46cm
- 加高靠背高度35cm;

基础配置
- 产品特点:带护理手刹，加高靠背，带手扶圈，带座便器
- 车 架:碳钢，可折叠
- 车架颜色:银色
- 扶手:优质皮革和高密度海绵
- 座垫:双层加厚蜂网布，可拆洗
- 脚踏板:金属踏板，高度可调
- 前轮 ： 7寸实心前轮 ； 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-TG-6

MODEL: F-W18

- Product features: Equipped with a nursing handbrake,raised backrest, hand support ring, and toilet seat
- Frame: Carbon steel, foldable
- Frame color : Silvery
- Armrest: Leather and sponge
- Cushion: Double layered thickened honeycomb meshfabric, removable and washable
- Foot pedal: Metal pedals, adjustable height
- wheels: 7-inch solid front wheels. 24-inch solid tires Rear





铝合金低靠背座便 SYIV100-KL-L-1

型号：F-W19

技术参数

- 轮椅尺寸 ： 103*68*90cm
- 折叠宽度：27cm， 座位深度 42cm，座位宽度 45cm
- 座位离地面高度 50cm；

基础配置

- 产品特点:带护理手刹，带座便器，带手扶圈，收纳省空间
- 车架:铝合金，可折叠
- 扶手:ABS扶手垫，加宽金属 护板
- 座垫:优质皮革和高密度海绵
- 脚踏板:金属脚踏板，高低可调节
- 前轮 ： 7寸实心前轮 ； 后轮 ： 24 寸实心外胎

Aluminum Wheelchair SYIV100-KL-L-1

MODEL: F-W19

- Product features: Equipped with a nursing handbrake, toilet seat， armrest, saving space for storage
- Frame: Aluminum Alloy foldable
- Armrest: ABS armrest
- Cushion: Leather and sponge
- Foot pedal: Metal pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid or inflatable tire

铝合金低靠背双翻 SYIV100-KL-L-2

型号：F-W20

技术参数

- 轮椅尺寸 ： 102*67*88cm
- 折叠宽度：28cm， 座位深度 42cm，座位宽度 48cm
- 座位离地面高度 50cm；

基础配置

- 产品特点:带护理手刹，带手扶圈，收纳省空间
- 车架:铝合金，可折叠
- 扶手:ABS扶手垫，加宽金属 护板
- 座垫:加厚牛津布
- 脚踏板:金属脚踏板，高低可调节
- 前轮 ： 7寸实心前轮 ； 后轮 ： 24 寸实心外胎

Aluminum Wheelchair SYIV100-KL-L-2

MODEL: F-W20

- Product features: Equipped with a nursing handbrake, adjustable armrest, saving space for storage
- Frame: Aluminum Alloy，foldable
- Armrest: ABS armrest, metal protection plate
- Cushion: Thickened oxford fabric
- Foot pedal: Metal pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid tires





铝合金低靠背软座 SYIV100-KL-L-3

型号：F-W21-1

技术参数
- 轮椅尺寸 ： 108*62*90cm
- 折叠宽度：46cm， 座位深度 49cm，座位宽度 42cm
- 靠背高：40cm

基础配置
- 产品特点:带护理手刹，扶手可掀， 带手扶圈，收纳省空间
- 车架:铝合金，可折叠
- 扶手:PU扶手垫，加宽ABS 护板
- 座垫:加厚牛津布
- 脚踏板:金属脚踏板，高低可调节
- 前轮 ： 8寸实心前轮 ;后轮 ： 24 寸实心或者充气外胎

Aluminum Wheelchair SYIV100-KL-L-3

MODEL: F-W21-1

- Product features: Equipped with a nursing handbrake, adjustable armrest, saving space for storage
- Frame: Aluminum alloy，foldable
- Armrest: PU soft armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Metal pedals, adjustable height
- Wheel：8-inch solid front wheels. 24-inch solid or inflatable tires





铝合金低靠背软座 SYIV100-KL-L-3

型号：F-W21-3

技术参数
- 轮椅尺寸 ： 93.5*61*90cm
- 座宽 ： 45cm 座高:47cm 座深:37cm
- 靠背高 ： 42cm

基础配置
- 产品特点 ： 带护理手刹，带手扶圈，收纳省空间
- 车架 ： 铝合金，可折叠
- 扶手 ： PU扶手垫，ABS 护板
- 座垫 ： 双层牛津布
- 脚踏板 ： 欧式塑料脚踏板，高低可调节
- 前轮 ： 6寸PVC小轮
- 后轮 ： 20寸注塑一体轮，美丽大方

Aluminum Wheelchair SYIV100-KL-L-3

MODEL: F-W21-3

- Product features: Equipped with a nursing handbrake,saving space for storage
- Frame: Aluminum alloy，foldable
- Armrest: PU soft armrest, ABS protection plate
- Cushion: Thickened oxford fabric
- Foot pedal: European-style plastic pedals ， adjustable height
- Front wheels: 6-inch PVC small wheels
- Rear wheels: 20-inch plastic one-piece wheels





铝合金低靠背软座 SYIV100-KL-L-3

型号：F-W21-2

技术参数
- 轮椅尺寸 ： 93.5*61*90cm
- 折叠宽度：45cm， 座位深度 47cm，座位宽度 37cm
- 靠背高：42cm

基础配置
- 产品特点:带护理手刹，带手扶圈，收纳省空间
- 车架:铝合金，可折叠
- 扶手:PU扶手垫，ABS 护板
- 座垫:加厚牛津布和高密度海绵
- 脚踏板:欧式塑料脚踏板，高低可调节
- 前轮 ： 6寸PVC小轮
- 后轮 ： 20寸塑料一体轮，PU外胎，塑料手扶圈，也可安装12寸、16寸后轮

Aluminum Wheelchair SYIV100-KL-L-3

MODEL: F-W21-2

- Product features: Equipped with a nursing handbrake,saving space for storage
- Frame: Aluminum alloy，foldable
- Armrest: PU soft armrest, ABS protection plate
- Cushion: Thickened oxford fabric and high-density sponge
- Foot pedal: European-style plastic pedals ， adjustable height
- Front wheels: 6-inch PVC small wheels
- Rear wheels: 20-inch plastic one-piece wheels with PU tires and plastic handrails, can also be equipped with 12-inch or 16-inch rear wheels





铝合金低靠背软座 SYIV100-KL-L-3

型号：F-W21-4

技术参数
- 轮椅尺寸：84*55*88cm
- 座宽：40cm，座高：48cm，座深：38cm

基础配置
- 产品特点： 专为航空出行场景设计，轻松折叠，体积小，免安装，携带方便，可直接带入机舱；
- 车架： 铝合金，表面喷涂处理，可折叠
- 车架颜色： 金色
- 扶手： 高品质PU扶手,扶手可后掀
- 座垫： 双层牛津布靠背坐垫，舒适透气
- 脚踏板： 加厚铝合金踏板，放脚舒适；
- 6寸PVC前轮，采用12寸蜂窝后轮；

Aluminum Wheelchair SYIV100-KL-L-3

MODEL: F-W21-4

- Product Features: Designed specifically for air travel, easily foldable, compact, requires no installation, easy to carry, and can be brought directly into the cabin;
- Frame: Aluminum alloy, surface-coated, foldable
- Frame Color: golden
- Armrests: High-quality PU armrests, can be flipped back;
- Seat Cushion: Double-layer Oxford cloth backrest and seat cushion, comfortable and breathable;
- Foot pedal: Thickened aluminum alloy , comfortable for foot placement;
- 6-inch PVC front wheel, 12-inch rear wheel;







电镀低靠背座便 SYIV100-KL-D-1

型号：F-W22-1

技术参数
- 轮椅尺寸:101*66*92cm
- 座宽:45cm，座高:53cm，座深:42cm
- 靠背高:37cm

基础配置
- 产品特点:带护理手刹，带座便器，带手扶圈，收纳省空间
- 车架:碳钢 表面电镀工艺，可折叠
- 扶手:皮革海绵扶手垫,金属护板
- 座垫:加厚牛津布
- 脚踏板:塑料脚踏板，高低可调节
- 前轮 ： 7 寸实心前轮 ； 后轮 ： 24 寸实心或者充气外胎

Steel Wheelchair SYIV100-KL-D-1

MODEL: F-W22-1

- Product features: Equipped with a nursing handbrake, toilet seat， armrest, saving space for storage
- Frame: Carbon steel, Surface electroplating treatment. foldable
- Armrest: Leather and sponge armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid or inflatable tires





电镀低靠背座便 SYIV100-KL-D-1

型号：F-W22-2

技术参数
- 轮椅尺寸:103*68*90cm
- 折叠宽度 27cm，座位深度 42cm，
- 座位宽度 46cm，座位离地面高度 50cm；

基础配置
- 产品特点: 带护理手刹，带座便器，带手扶圈，收纳省空间
- 车架: 碳钢 表面电镀工艺，可折叠
- 扶手: 优质ABS扶手垫,PP塑料护板
- 座垫: 加厚牛津布
- 脚踏板: 金属脚踏板，高低可调节
- 前轮：7 寸实心前轮
- 后轮：24 寸实心或者充气外胎

Steel Wheelchair SYIV100-KL-D-1

MODEL: F-W22-2

Product features: Equipped with a nursing handbrake, toilet seat， armrest, saving space for storage
Frame: Carbon steel, Surface electroplating treatment. foldable
Armrest:High quality ABS armrest
Cushion: Thickened oxford fabric
Foot pedal: Metal pedals, adjustable height
Wheel：7-inch solid front wheels. 24-inch solid rear wheels





电镀低靠背双翻 SYIV100-KL-D-2

型号：F-W23

技术参数
- 轮椅尺寸 ： 102*67*88cm
- 折叠宽度：28cm， 座位深度 42cm，座位宽度 48cm
- 座位离地面高度 50cm；

基础配置
- 产品特点:带护理手刹，带手扶圈，收纳省空间
- 车架:铝合金，可折叠
- 扶手:ABS扶手垫，加宽金属 护板
- 座垫:加厚牛津布
- 脚踏板:金属脚踏板，高低可调节
- 前轮 ： 7寸实心前轮 ； 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-D-2

MODEL: F-W23

- Product features: Equipped with a nursing handbrake， armrest, saving space for storage
- Frame: Carbon steel, Surface electroplating treatment. foldable
- Armrest: High quality ABS armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Metal pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid or inflatable tires



电镀低靠背软座 SYIV100-KL-D-3

型号：F-W24-1

技术参数

- 轮椅尺寸 ： 103*67*89cm
- 座宽:46cm，座高:46cm ，座深:42cm
- 靠背高：42cm

基础配置

- 产品特点 :带护理手刹，带手扶圈，收纳省空间
- 车架: 碳钢 表面电镀工艺，可折叠
- 扶手: 海绵扶手垫,铁护板
- 座垫: 加厚牛津布
- 脚踏板: 塑料踏板，高低可调节
- 前轮：7 寸实心前轮
- 后轮：24 寸实心或者充气外胎

Steel Wheelchair SYIV100-KL-D-3

MODEL: F-W24-1

- Product features: Equipped with a nursing handbrake，armrest, saving space for storage
- Frame: Carbon steel, Surface electroplating treatment. foldable
- Armrest: Leather and sponge armrest
- Cushion: Thickened oxford fabric
- Foot pedal: Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid or inflatable tires





电镀低靠背软座 SYIV100-KL-D-3

型号：F-W24-3

技术参数

- 轮椅尺寸：103*68*85cm(长x宽x高)
- 座宽：座位深度 42cm，座位宽度 45cm，座位离地面高度 45cm，折叠宽度 27cm

基础配置

- 产品特点：带护理手刹，带手扶圈，收纳省空间
- 车架：碳钢 表面电镀工艺，可折背设计，整车可折叠
- 扶手：优质皮革和高密度海绵扶手,优质不锈钢护板
- 座垫：优质皮革座垫
- 脚踏板：金属踏板，高低可调节
- 前轮：7 寸实心前轮
- 后轮：24 寸实心后轮

Steel Wheelchair SYIV100-KL-D-3

MODEL: F-W24-3

- Product features： Equipped with a nursing handbrake，armrest, saving space for storage
- Frame：Carbon steel, Surface electroplating treatment. foldable
- Armrest：Leather and sponge armrest
- Cushion：High quality Leather
- Foot pedal：Metal pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheel





电镀低靠背软座 SYIV100-KL-D-3

型号：F-W24-2

技术参数

- 轮椅尺寸:103*68*90cm(长x宽x高)
- 座宽:，座位深度 42cm，座位宽度 45cm，座位离地面高度 50cm，折叠宽度 27cm

基础配置

- 产品特点: 带护理手刹，带手扶圈，收纳省空间
- 车架: 碳钢 表面电镀工艺，可折背设计，整车可折叠
- 扶手: 优质塑料扶手,PP塑料护板
- 座垫: 优质网布座垫
- 脚踏板: 塑料踏板，高低可调节
- 前轮 ： 7 寸实心前轮
- 后轮 ： 24 寸实心外胎

Steel Wheelchair SYIV100-KL-D-3

MODEL: F-W24-2

- Product features: Equipped with a nursing handbrake，armrest, saving space for storage
- Frame: Carbon steel, Surface electroplating treatment. Features a fold-down backrest，the entire wheelchair can foldable
- Armrest: Plastic armrest
- Cushion: Thickened honeycomb meshfabric, removable and washable
- Foot pedal: Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheel





电镀低靠背软座 SYIV100-KL-D-3

型号：F-W24-4

技术参数

轮椅尺寸：80*60*88cm

座宽：座位深度 42cm，座位宽度45cm，

座位离地面高度：45cm，折叠宽度：27cm

基础配置

产品特点：体积小，易于携带，带护理手刹，带手扶圈，收纳省空间

车架：碳钢表面电镀工艺，可折背设计，整车可折叠扶手

优质塑料扶手座垫：蜂巢网布座靠垫，透气舒适脚

踏板：高强度塑料踏板，高低可调节

前轮：6寸实心

后轮：16寸实心

Steel Wheelchair SYIV100-KL-D-3

MODEL: F-W24-4

- Product features：Compact size, easy to carry.Equipped with a nursing handbrake, armrest, savingspace for storage
- Frame：Carbon steel, Surface electroplating treatment.foldable
- Armrest： High quality plastic armrest
- Cushion：Thickened honeycomb meshfabric, removable and washable
- Foot pedal：Plastic pedals, adjustable height
- Wheel： 6-inch solid front wheels. 16-inch solid rearwheel





喷涂坐便轮椅 SYIV100-KL-T-1

型号：F-W25-1

技术参数

- 轮椅尺寸 ： 105*68*92cm
- 座宽46cm，座高52cm，座深42cm
- 靠背高37cm

基础配置

- 产品特点:带护理手刹，带座便器、带手扶圈，收纳省空间
- 车架:碳钢，可折叠
- 车架颜色:黑色
- 扶手:皮革海绵扶手垫,不锈钢护板
- 座垫:加厚牛津布
- 脚踏板:塑料踏板，高低可调节
- 前轮 ： 7 寸实心前轮
- 后轮 ： 24 寸实心胎 ，铝合金轮廓配置 36 根辐条

Steel Wheelchair SYIV100-KL-T-1

MODEL: F-W25-1

- Product features：Equipped with a nursing handbrake, toiletseat, and armrest, saving space for storage
- Frame：Carbon steel, foldable
- Frame color：Black
- Armrest：Leather and sponge armrest
- Cushion：Thickened oxford fabric
- Foot pedal：Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheels





喷涂低靠背双翻 SYIV100-KL-T-2

型号：F-W26

技术参数

- 轮椅尺寸（CM)：103*68*90cm。
- 折叠宽度 27cm，座位深度 42cm，座位宽度 45cm， 座位离地面高度 50cm；
- 产品特点：带护理手刹，带手扶圈，收纳省空间
- 车架：碳钢，可折叠
- 车架颜色：黑色
- 扶手：塑料扶手
- 座垫：牛津布双翻座垫
- 脚踏板：塑料踏板，高低可调节
- 前轮：7 寸实心前轮
- 后轮：24 寸实心胎 ，铝合金轮廓配置 36 根辐条

Steel Wheelchair SYIV100-KL-T-2

MODEL: F-W26

- Product features：Equipped with a nursing handbrake,and armrest, saving space for storage
- Frame：Carbon steel, foldable
- Frame color：Black
- Armrest：Plastic armrest
- Cushion： Thickened oxford fabric
- Foot pedal： Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheels





喷涂低靠背座便 SYIV100-KL-T-1

型号：F-W25-2

技术参数

- 轮椅尺寸 ： 93*69*90.5cm
- 45cm座深：42cm座高：46cm靠背高：40cm

基础配置

- 产品特点：带护理手刹，带座便器、带手扶圈，收纳省空间
- 车架：碳钢，可折叠
- 车架颜色：银灰
- 扶手：塑料扶手，ABS护板
- 座垫：透气网布座背垫，中间夹层有10mm厚高密度海绵和双层帆布缝合而成，牢固、舒适
- 脚踏板：塑料欧式脚踏板，高低可调节
- 前轮 ： 8寸实心前轮，双轴承结构，灵敏度高
- 后轮 ： 24寸优质PU实心轮，加厚铝车圈

Steel Wheelchair SYIV100-KL-T-1

MODEL：F-W25-2

- Product features：Equipped with a nursing handbrake, toiletseat, and armrest, saving space for storage
- Frame：Carbon steel, foldable
- Frame color：Black
- Armrest：Plastic armrest
- Cushion：Thickened oxford fabric
- Foot pedal：Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheels





喷涂低靠背软座 SYIV100-KL-T-3

型号：F-W27-1

技术参数

- 轮椅尺寸 ： 105*65*92cm
- 折叠宽度：50cm， 座位深度 42cm，座位宽度 46cm
- 靠背高:42cm；

基础配置

- 车架:碳钢，可折叠
- 车架颜色:深灰色
- 扶手:塑料扶手
- 座垫:牛津布软座垫
- 脚踏板:塑料踏板，高低可调节
- 前轮 ： 7 寸实心前轮
- 后轮 ： 24 寸实心胎 ，铝合金轮廓配置 36 根辐条

Steel Wheelchair SYIV100-KL-T-3

MODEL：F-W27-1

- Product features：Equipped with a nursing handbrake, and armrest, saving space for storage
- Frame：Carbon steel, foldable
- Frame color：dark gray
- Armrest：Plastic armrest
- Cushion：Thickened oxford fabric
- Foot pedal：Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheels







喷涂低靠背软座 SYIV100-KL-T-3

型号：F-W27-2

技术参数
- 轮椅尺寸 ：103*68*88cm
- 座宽:27cm，座高:42cm ，座深:45cm
- 座位离地面高度 45cm，承重：100kg

基础配置
- 产品特点:带护理手刹，带手扶圈，收纳省空间
- 车架:碳钢，可折叠
- 车架颜色:黑色
- 扶手:ABS塑料扶手
- 座垫:牛津布软座垫
- 脚踏板:塑料踏板，高低可调节
- 前轮7寸万向轮，后轮24寸实心胎

Steel Wheelchair SYIV100-KL-T-3

MODEL：F-W27-2

- Product features：Equipped with a nursing handbrake，and armrest, saving space for storage
- Frame：Carbon steel, foldable
- Frame color：Black
- Armrest：Plastic armrest
- Cushion：Thickened oxford fabric
- Foot pedal： Plastic pedals, adjustable height
- Wheel：7-inch solid front wheels. 24-inch solid rear wheels





喷涂低靠背软座 SYIV100-KL-T-3

型号：F-W27-3

技术参数
- 轮椅尺寸：88*55*89cm
- 座宽：40cm，座高：51cm，座深：38cm

基础配置
- 产品特点：专为航空出行场景设计，轻松折叠，体积小，免安装，携带方便，可直接带入机舱；
- 车架：优质钢材，表面喷涂处理，可折叠
- 车架颜色：黑色
- 扶手：高品质PU扶手,扶手可后掀
- 座垫：透气网布座背垫，中间夹层有高密度海绵和双层帆布缝合而成，舒适透气
- 脚踏板： 加厚钢制踏板，放脚舒适；
- 前轮采用双轴承结构塑料减震前叉，6寸PVC轮，
- 后轮10寸双轴承PU轮，转向灵活，耐用；

Steel Wheelchair SYIV100-KL-T-3

MODEL：F-W27-3

- Product Features: Designed specifically for air travel, easily foldable, compact, requires no installation, easy to carry, and can be brought directly into the cabin;
- Frame: steel frame, surface-coated, foldable
- Frame Color: black
- Armrests: High-quality PU armrests, can be flipped back;
- Seat Cushion: Thickened Oxford cloth and high-density sponge seat cushion, comfortable and breathable;
- Foot pedal: Thickened steel , comfortable for foot placement;
- 6-inch PVC front wheel, 10-inch rear wheel;





喷涂低靠背软座 SYIV100-KL-T-3

型号：F-W27-4

技术参数
- 轮椅尺寸 ：103*59*89cm
- 座位深度 40cm，座位宽度 44cm，座位高度 47cm

配置参数
- 产品特点 ： 带护理手刹，带手扶圈，收纳省空间
- 车架 ： 碳钢，可折叠
- 车架颜色 ： 蓝色
- 扶手 ： 高品质ABS扶手,扶手可后翻
- 座垫 ： 座背垫采用金丝网格布面料，中间夹层有10mm厚高密度海绵和双层帆布缝合而成，牢固、舒适；
- 脚踏板 ： 配有欧式塑料脚踏板，高度可调，操作简单；
- 6寸PVC前轮，后轮采用16寸塑料一体轮，PU外胎；

Steel Wheelchair SYIV100-KL-T-3

MODEL：F-W27-4

- Product features: Equipped with a nursing handbrake，and armrest, saving space for storage
- Frame: Carbon steel, foldable
- Frame Color: Blue
- Armrests: High-quality ABS armrests, liftable at the back
- Seat: Made of gold-threaded mesh fabric with a 10mm thick high-density sponge and Oxford cloth
- Foot pedal ： Equipped with European-style plastic foot pedal, height adjustable
- Wheel：6-inch PVC front wheel, 16-inch one-piece plastic rear wheel with PU tire;





喷涂低靠背软座 SYIV100-KL-T-3

型号：F-W27-5

技术参数
- 轮椅尺寸 ：103*59*89cm
- 座位深度 40cm，座位宽度 44cm，座位高度 47cm

配置参数
- 产品特点 ： 带护理手刹，带手扶圈，收纳省空间
- 车架:碳钢，可折叠
- 车架颜色 ： 蓝色
- 扶手 ： 高品质ABS扶手,扶手可后翻
- 座垫 ： 座背垫采用金丝网格布面料，中间夹层有10mm厚高密度海绵和双层帆布缝合而成，牢固、舒适；
- 脚踏板 ： 配有欧式塑料脚踏板，高度可调，操作简单；
- 6寸PVC前轮，后轮采用20寸塑料一体轮，PU外胎；

Steel Wheelchair SYIV100-KL-T-3

MODEL：F-W27-5

- Product features ： Customized wide seat, Equippedwith a nursing handbrake, and armrest, saving spacefor storage
- Frame：Carbon steel, foldable
- Frame color：black
- Armrest： High quality plastic armrest
- Cushion：Double-layered, thickened seat cushion; the top layer is detachable for easy cleaning, offeringbreathability and comfort.
- Foot pedal： High-strength aluminum alloy pedals，adjustable height
- Wheel：8-inch solid front wheels; 24-inch solid-tirenylon rear wheels.



电动轮椅 ELECTRIC WHEELCHAIR

产品特点
Adapt to medical care scenarios

- 可掀扶手－方便上下车
  Flip-up armrest - convenient for getting on and off the vehicle
- 万向控制器－360度灵活操控
  Universal Controller - 360° Flexible Control
- 高强度碳钢车架－坚固耐用
  High-strength carbon steel frame - strong and durable

约20km 公里续航 Endurance

可100kg 载重量 load capacity



展开展示
Carry out the display



正面展示
Front display



背面展示
Back display



电动轮椅

技术参数:
- 轮椅尺寸：116*65*128cm
- 折叠宽度：390mm靠背高度：430mm
- 座位深度：430mm座位宽度：460mm
- 座位离地面高度：510mm
- 最大载荷：100kg
- 净重：41kg
- 毛重：44kg

基础配置:
- 钢质车架，表面金属烤漆处理，双交叉管支撑;
- 座垫和靠背垫采用优质加厚牛津布，配有独立上层垫，透气性好，乘坐舒适;
- 扶手可后掀，塑料护板，高质量PU扶手，支撑肘部;
- 靠背可折叠，可后躺95°-175°任意位置调整;
- 腿部可升降调节，拆腿设计，拆卸方便，可外旋180°，脚踏板可上下调节;
- 10寸PVC免充气胎，铝合金轮毂，后轮采用16英寸充气胎，金属轮毂;
- 刹车系统：配加长杆手刹，操作省力;并配有电子刹车系统
- 控制器24V/35A反应灵敏，速度可调，最高时速7km/h
- 供电装置：可选配铅酸电池或者锂电池，续航不低于10公里
- 充电器：24V12AH，输入电压：220V50Hz。

electric wheelchair

Product features
- Fully reclining and semi-reclining function, as well as adjustable legelevation.excellent craftsmanship, ergonomicdesign, convenient folding handle, aestheticallypleasing, and sturdy. Long driving range;equipped with an electronic braking system.

Standard configuration
- Frame: Steel frame with a metallic baked-enamel finish.
- Seat and Backrest:High-quality thickenedOxford fabric with a separate top cushion layer;offers excellent breathability and seating comfort.
- Armrests: High-quality PU armrests ; flip-backdesign.
- The backrest is foldable and can be reclined toany position between 95° and 175°
- Detachable leg rests for easy removal;footplates can swing out 180° and are height-adjustable.
- Front Wheels: 10-inch PVC tires.
- Rear Wheels: 16-inch pneumatic tires.
- Braking system: Equipped with an extended-handle manual brake for effortless operation; alsofeatures an electronic braking system.
- Controller: Highly responsive with adjustablespeed settings; maximum speed of 7km/h.

电动轮椅

技术参数
- 轮椅尺寸：113*63.5*128cm
- 折叠宽度：510mm靠背高度：400mm
- 座位深度：440mm座位宽度：455mm
- 前轮规格：10寸PVC免充气胎，铝合金轮毂
- 后轮规格：16寸铝轮毂
- 最大载荷：100KG
- 包装尺寸(L*W*H)：850*400*720mm

基础配置
- 钢质车架，表面金属烤漆处理，双交叉管支撑;
- 双色透气布座背垫，有独立上层垫，透气性好，乘坐舒适;
- 扶手可后掀，塑料护板，高质量PU扶手，支撑肘部;
- 靠背可折叠;
- 可拆腿设计，拆卸方便，可外旋180°脚踏板可上下调节;
- 前轮10英寸PVC轮胎;
- 后轮采用16英寸充气胎，金属轮毂;
- 配加长杆手刹，操作省力;
- 驱动装置采用永磁直流电机，转速120r/min，带电控刹车;
- 控制器24V/35A反应灵敏，速度可调，最高时速7km/h;
- 供电装置配有两个12V铅酸电池，续航不低于10 公里;
- 充电器:24V12AH，输入电压:220V50Hz。

electric wheelchair

Product features:
- Detachable backrest, excellencraftsmanship, ergonomic design, convenientfolding handle, aesthetically pleasing, and sturdyLong driving range; equipped with an electronicbraking system.

Standard configuration
- Frame: Steel frame with a metallic baked-enamel finish.
- Seat and Backrest: Dual-tone breathable fabricupholstery with a separate top cushion layer;offers excellent breathability and seating comfort.
- Armrests: High-quality PU armrests ; flip-backdesign.
- Foldable backrest.
- Detachable leg rests for easy removal;footplates can swing out 180° and are height-adjustable.
- Front Wheels: 10-inch PVC tires.
- Rear Wheels: 16-inch pneumatic tires.
- Drive System: Permanent magnet DC motorspeed 120 r/min;equipped with an electronic braking system.
- Controller: Highly responsive with adjustablespeed settings; maximum speed of 7km/h.
- Power Supply: Two 12V lead-acid batteries;driving range of at least 10 km.





电动轮椅

技术参数:
・轮椅尺寸：113*66*93cm(长x宽x高)
・座宽：46cm，座高：50cm，座深：42cm
・靠背高度：40cm，扶手高度：22cm
・前轮：10寸，后轮：16寸
・净重：30.5kg (不含电池),电池：9.1kg，毛重：约43kg
・承重：100kg，包装尺寸：83.5*42*74cm

基础配置:
・钢质车架，表面金属烤漆处理，双交叉管支撑;
・双色透气布座背垫，有独立上层垫，透气性好，乘坐舒适;
・扶手可后掀，塑料护板，高质量PU扶手，支撑肘部;
・靠背可折叠;
・可拆腿设计，拆卸方便，可外旋180° 脚踏板可上下调节;
・前轮10英寸pu轮胎，加大金属减震前叉;
・后轮采用16英寸充气胎，金属轮毂;
・配加长杆手刹，操作省力;
・驱动装置采用永磁直流电机MY1016Z-250W24V，转速120r/min，带电控刹车;
・控制器24V/35A反应灵敏，速度可调，最高时速6km/h;11、供电装置配有两个12V铅酸电池，续航不低于10公里;12、充电器:24V12AH，输入电压:220V50Hz。

electric wheelchair

Product features
・Lightweightand agile, requiring minimal effort to operate.Long driving range; equipped with an electronicbraking system. Features a foldable backrest, flip-up armrests, and de tachable leg rests.

Standard configuration
・Frame: Steel frame with a metallic baked-enamel finish.
・Seat and Backrest: Dual-tone breathable fabricupholstery with a separate top cushion layer;offers excellent breathability and seating comfort.
・Armrests: High-quality PU armrests ; flip-backdesign.
・ Foldable backrest.
・ Detachable leg rests for easy removal;footplates can swing out 180° and are height-adjustable.
・Front Wheels: 10-inch PU tires with oversizedmetal shock-absorbing forks.
・Rear Wheels: 16-inch pneumatic tires withmetal rims.
・Drive System: Permanent magnet DC motor,speed 120 r/min;equipped with an electr onicbraking system.
・Controller: Highly responsive with adjustablespeed settings; maximum speed of 6 km /h.10. Power Supply: Two 12V lead-acid batteries;driving range of at least 10 km.

电动轮椅

技术参数
・轮椅尺寸：117*66*93cm
・座宽：45cm，座高：50cm，座深：42cm
・靠背高度：40cm，扶手高度：22cm
・前轮：10寸，后轮:22寸
・净重：32kg(不含电池)，电池：9.1kg，毛重：约45kg
・承重：100kg，包装尺寸：88*42*74cm

基础配置
・钢质车架，表面金属烤漆处理，双交叉管支撑;
・双色透气布座背垫，有独立上层垫，透气性好，乘坐舒适;
・扶手可后掀，塑料护板，高质量海绵扶手，支撑肘部;
・靠背可折叠;
・可拆腿设计，拆卸方便，可外旋180° ，脚踏板可上下调节;
・前轮10英寸PU轮胎，加大金属前叉;
・后轮采用22英寸充气胎，金属轮毂;
・配加长杆手刹，操作省力;
・驱动装置采用永磁直流电机MY1016Z-250W24V，转速120r/min，带电控刹车，配有离合器，实现手动电动快速切换;
・控制器24V/35A反应灵敏，速度可调，最高时速6km/h;
・供电装置配有两个12V铅酸电池，续航不低于10 公里;
・充电器:24V12AH，输入电压:220V50Hz。

electric wheelchair

Product features:
・Lightweight andagile,requiringminimalefforttooperate.ongdrivingrange;equippedwithanelectronicbrakingsystem.Featuresafoldablebackrest,flip-uparmrests,anddetachablelegrests.

Standard configuration
・Frame: Steel frame with a metallic baked-enamel finish.
・Seat and Backrest: Dual-tone breathable fabricupholstery with a separate top cushion layer;offers excellent breathability and seating comfort.
・ Armrests: High-quality PU armrests ; flip-backdesign.
・Foldable backrest.
・Detachable leg rests for easy removal;footplates can swing out 180° and are height-adjustable.
・Front Wheels: 10-inch PU tires with oversizedmetal shock-absorbing forks.
・ Rear Wheels: 22-inch pneumatic tires withmetal rims.
・Drive System: Permanent magnet DC motorspeed 120 r/min;equipped with an electronicbraking system.
・Controller: Highly responsive with adjustablespeed settings; maximum speed of 6 km/h.
・Power Supply: Two 12V lead-acid batteries;driving range of at least 10 km.





铝合金电动轮椅锂电款

技术参数
- 轮椅尺寸：104*67*94cm
- 座宽：45cm 座高：48cm 座深：42cm 靠背高度：43cm

基础配置
- 铝合金车架表面金属烤漆处理，双交叉管支撑；
- 透气网布座背垫，可选搭配独立上层垫，透气性好，乘坐舒适；
- 扶手可后掀，高质量PU扶手支撑肘部；
- 靠背可折叠；
- 腿支架可上翻设计，脚踏板可上下调节；
- 前轮加宽8英寸pu轮胎，塑料万向前叉；
- 后轮采用12英寸充气胎，塑料轮毂；
- 配加长杆手刹，操作省力；
- 控制器24V/35A反应灵敏，速度可调，最高时速6km/h
- 供电装置配为10AH锂电池，续航不低于10公里
- 充电器：24V10AH，输入电压：220V50Hz55W，输出功率：29.6V1.9A

Aluminum Electric Wheelchair, Li-ion Battery

Product features
- Lightweight and agile, requiring minimal effort to operate. Long driving range; equipped with an electronic braking system. Features a foldable backrest, flip-up armrests, and det achable leg rests.

Standard configuration
- 1.Frame： Aluminum alloy frame with metallic paint finish and double cross-tube support;
- Seat and Backrest:Breathable mesh seat and back pad, with optional independent upper pad for excellent breathability and comfort;
- Armrests：Rear-mounted armrests with high-quality PU elbow support;
- Foldable backrest;
- Foldable leg rest and adjustable footrests;
- Front Wheels: Widened 8-inch PU tire at the front and plastic swivel fork;
- Rear Wheels:12-inch pneumatic tire at the rear and plastic rim;
- Equipped with an extended handbrake for easier operation;
- Controller: Controller with sensitive 24V/35A response, adjustable speed, maximum spee d 6km/h;
- Power supply：Equipped with a 10AH lithium battery, providing a range of at least 10 kilo meters;
- Charger: 24V 10AH, input voltage: 220V 50Hz 55W, output power: 29.6V 1.9A

铝合金轻便电动轮椅

技术参数
- 轮椅尺寸：106*62*96cm
- 座宽：43cm 座高：50cm 座深：42cm 靠背高度：42cm 扶手高度：22cm

基础配置
- 车架采用高强度铝合金，表面液体汽车烤漆处理；
- 整车可前后快速折叠、展开；
- 座背垫双层设计，可快速拆卸，易清洗，上层垫采用透气布内置高密度海绵；
- 扶手可一键后掀，高质量PU扶手垫，流线型设计符合肘部弯曲；
- 加大防滑脚踏板，大面积脚部支撑，可上下调节高度；
- 前轮采用铝合金轮毂，8英寸PU外胎，金属万向前叉，转动灵活；
- 后轮采用铝合金轮毂，12英寸充气外胎，舒适度高；
- 配防后倾轮，可伸缩调节；
- 驱动装置采用250W电机,转速140r/min，带电磁刹车，
- 控制器24V/35A反应灵敏，最高时速6km/h；
- 供电装置采用12AH理电池，续航不低于12公里
- 充电器：24V12AH，输入电压：220V50Hz55W，输出功率：29.6V3A。

Light Aluminium Electric Wheelchair

Product features:
- Lightweight andagile,requiringminimalefforttooperate.ongdrivingrange;equippedwithanelectronicbrakingsystem.Featuresafoldablebackrest,flip-uparmrests,anddetachablelegrests.

Standard configuration
- Frame： High-strength aluminum alloy frame with liquid automotive paint finish;
- The entire bike can be quickly folded and unfolded forward and backward;
- Seat and backrest：Double-layer seat and back cushion design, quick-removable and ea sy to clean
- Armrest：One-button rear-hinged armrests with high-quality PU pads and a streamlined design to accommodate elbow flexion;
- Enlarged anti-slip footrests with ample foot support and height adjustment;
- Front wheel ： Aluminum alloy front wheel with 8-inch PU tires and a metal swivel fork for flexible maneuvering;
- Rear wheels： feature aluminum alloy rims and 12-inch pneumatic tires for enhanced comfort;
- Equipped with anti-roll wheels that are telescopic and adjustable;
- Motor：Drive unit uses a 250W motor with a speed of 140r/min and electromagnetic brake;
- Controller： Controller with 24V/35A response is sensitive, with a maximum speed of 6km/h;
- Power supply： 12AH lithium battery, providing a range of at least 12 kilometers;
- Charger: 24V 12AH, Input voltage: 220V 50Hz 55W, Output power: 29.6V 3A.





单弯助行器
Single-curve walking aid



单弯坐垫助行器
Walker with Seat Cushion



单弯双杠助行器
Double-bar Walker



单弯带轮助行器
Wheeled Walker



双弯带轮助行器
Double-fold Wheeled Walker



不锈钢轮座
Stainless Steel Walker



铝合金轮座
Aluminum Walker



可推坐便椅
Wheeled Commode Chair

铝合金坐便椅
Aluminum Commode Chair

不锈钢坐便椅
Stainless Steel Commode Chair

喷漆坐便椅
Spray-painted Commode Chair

方靠背坐便椅
Square Back Commode Chair

带轮不锈钢坐便椅
Wheeled Stainless Commode Chair

喷漆坐便椅
Spray-painted Commode Chair

不锈钢洗澡椅
Stainless Steel Shower Chair

铝合金洗澡椅
Aluminum Shower Chair



不锈钢-单根拐杖
Stainless steel - Single walking cane



铝合金单拐-古铜色
Aluminum alloy cane



不锈钢-四脚拐杖
Stainless steel quad cane



加厚不锈钢-四脚拐杖
Thickened Stainless Steel Quad Cane



铝合金弯把四脚拐
Aluminum alloy curved-handle quad cane



铝合金四脚拐杖
Aluminum Alloy Quad Cane



铝合金-银色-四脚拐杖
Aluminum Alloy Silver Quad Cane



铝合金-古铜色-大四脚拐杖
Antique Bronze Aluminum Alloy Large Quad Cane



手杖
Walking Cane



手杖凳
Cane Seat



盲杖
White Cane



肘拐
Elbow Crutch



四角手杖
Quad Cane

27+年专业医疗器械制造

www.klmedbed.com

天津康丽医疗器械有限公司
Tianjin Kangli Medical Appliance Co. Ltd

生产地址：天津市武清区梅厂镇福源经济区生源路5号
ADD:No. 5, Shengyuan Road, Fuyuan Economic Zone, Meichang Town, Wuqing District, Tianjin

联系方式：022-29535992　+86-13652077555
TEL: 022-29535992　+86-13652077555

邮　　箱：Yukili90@tjkangli.com
EMAIL：Yukili90@tjkangli.com

Enterprise official website
企业官网

Check More
查看更多